



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Cholesterol AR
Batch No. : 228378
Date of Mfg. : Feb 2025
Date of Exp : Jan 2030
Register No. : 2025-26
Qty of Sample : 100gm
Date of Analysis : Feb 2025

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	White to Off white Crystalline powder
2.	Assay	99.56%	Min.99.0%
3.	Melting point	148.5 - 149.1°C	148 - 150°C
4.	Soluble matter in ethanol	Passes	Passes Test
5.	Loss on drying	0.11%	Max.0.3%
6.	Residue on ignition	0.084%	Max.0.1%

Chief Chemist