



Serving Scientific Community  
Since 1985



**TECHNO PHARMCHEM**

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket "D", Ashok Vihar, Phase-III, Delhi-110 052 (India)  
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)  
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)  
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com  
Website : www.technopharmchem.com

### CERTIFICATE OF ANALYSIS

Name of the Sample : Sodium Carbonate Anhydrous LR  
Batch No. : 228322  
Date of Mfg. : Feb 2025  
Date of Exp. : Jan 2030  
Register No. : 2025-26  
Qty of Sample : 500gm  
Date of Analysis : Feb 2025

| S.No | Test Parameters      | Observed Values                       | Standard Values       |
|------|----------------------|---------------------------------------|-----------------------|
| 1.   | Description          | Passes                                | White granular powder |
| 2.   | Assay (on dry basis) | 99.8% Na <sub>2</sub> CO <sub>3</sub> | Min.99.5%             |
| 3.   | Moisture             | 0.16%                                 | Max.1.5%              |
| 4.   | Chloride             | < 0.01%                               | Max.0.01%             |
| 5.   | Silicate             | < 0.02%                               | Max.0.02%             |
| 6.   | Sulphate             | < 0.02%                               | Max.0.02%             |
| 7.   | Iron                 | < 0.005%                              | Max.0.005%            |
| 8.   | Lead                 | < 0.003%                              | Max.0.003%            |

Chief Chemist