



Serving Scientific Community  
Since 1985



**TECHNO PHARMCHEM**

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)  
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)  
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)  
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com  
Website : www.technopharmchem.com

### CERTIFICATE OF ANALYSIS

**Name of the Sample** : **Copper Turnings for Laboratory**  
**Batch No.** : **228434**  
**Date of Mfg.** : **March 2025**  
**Date of Exp** : **Feb 2030**  
**Register No.** : **2025-26**  
**Qty of Sample** : **100gm**  
**Date of Analysis** : **March 2025**

S. No	Test Parameters	Observed Values	Standard Values
1.	Appearance	Passes	Bright Reddish metallic turnings
2.	Assay	99.31%	Min.99%
3.	Substances insoluble in HNO <sub>3</sub>	< 0.05%	Max. 0.05%
4.	Lead	< 0.05%	Max. 0.05%
5.	Iron	< 0.005%	Max. 0.005%
6.	Manganese	< 0.005%	Max. 0.005%
7.	Tin	< 0.005%	Max. 0.005%

**Chief Chemist**