



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Polyvinyl Pyrrolidone K-30
Batch No. : 228226
Date of Mfg. : Dec 2024
Date of Exp. : Nov 2029
Register No. : 2024-25
Qty of Sample : 500gm
Date of Analysis : Dec 2024

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	White to yellowish-white hygroscopic powder
2.	Viscosity (5% in water; 25°C)	4.13cps	About 2.4 cps
3.	Residual monomer	< 0.8%	Max 0.8%
4.	Water content	3.91%	Max 5%
5.	Sulphated ash	0.015%	Max.0.02%

Chief Chemist