



Serving Scientific Community  
Since 1985



**TECHNO PHARMCHEM**

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)  
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)  
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)  
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com  
Website : www.technopharmchem.com

### CERTIFICATE OF ANALYSIS

**Name of the Sample** : **Fluid Thioglycolate Medium**  
**Batch No.** : **228461**  
**Date of Mfg.** : **April 2025**  
**Date of Exp** : **March 2028**  
**Register No.** : **2025-26**  
**Qty of Sample** : **500gm**  
**Date of Analysis** : **April 2025**

S. No	Test Parameters	Observed Values	Standard Values
1.	Appearance	Passes	Cream to yellow homogeneous free flowing powder.
2.	Colour & Clarity of the prepared medium	Passes	Straw colored clear to slightly opalescent solution with upper 10% or less medium pink-purple on standing
3.	Reaction of 2.97% w/v aqueous solution at 25°C	7.11	pH : 7.1 +/- 0.2

**Chief Chemist**