



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket "D", Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : **Ammonium Molybdate AR**
Batch No. : **228480**
Date of Mfg. : **April 2025**
Date of Exp : **March 2030**
Register No. : **2025-26**
Qty of Sample : **500 gm**
Date of Analysis : **April 2025**

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	White to almost white Crystalline powder
2.	Assay	99.70%	Min.99.0%
3.	Water insoluble matter	0.0013%	Max.0.005%
4.	Chloride	0.0002%	Max.0.0005%
5.	Arsenate, phosphate and silicate	0.0005%	Max.0.0005%
6.	Sulphate	0.0010%	Max.0.005%
7.	Copper	0.0005%	Max.0.001%
8.	Iron	0.0002%	Max.0.001%
9.	Lead	0.0004%	Max.0.001%

Chief Chemist