



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Cyclohexane AR
Batch No. : 228478
Date of Mfg. : April 2025
Date of Exp : March 2030
Register No. : 2025-26
Qty of Sample : 500ml
Date of Analysis : April 2025

S.No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	Clear colorless liquid
2.	Assay	99.91%	Min.99.5%
3.	Wt. per ml at 20°C	0.778g	About 0.778 g
4.	Freezing point	Passes	Min.6.0°C
5.	Color	Passes	10 Hazen units
6.	Water (H ₂ O)	<0.01%	Max. 0.01%
7.	Non volatile matter	<0.001%	Max. 0.001%
8.	Benzene (C ₆ H ₆)	<0.01%	Max. 0.01%
9.	Cyclohexane (C ₆ H ₁₀)	<0.01%	Max. 0.01%
10.	Readily carbonizable Substances	Passes	Passes test

Chief Chemist