



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Calmagite Indicator AR
Batch No. : 228484
Date of Mfg. : April 2025
Date of Exp. : March 2030
Register No. : 2025-26
Qty of Sample : 10 gm
Date of Analysis : April 2025

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	Dark brownish black Powder
2.	Solubility 0.1% (dist. water)	Passes	Clear red solution
3.	Absorptivity 1%/1cm, at λ max. 604.0 nm (Ammonia buffer, pH 10.0+2 ml of 0.05M E.D.T.A. solution)	318	>300
4.	Loss on drying at 110°C (1hr)	4.34%	<10%

Chief Chemist