



Serving Scientific Community  
Since 1985



**TECHNO PHARMCHEM**

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)  
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)  
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)  
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com  
Website : www.technopharmchem.com

### CERTIFICATE OF ANALYSIS

**Name of the Sample** : Urea AR Grade for Biochemistry  
**Batch No.** : 228622  
**Date of Mfg.** : June 2025  
**Date of Exp** : May 2030  
**Register No.** : 2025-26  
**Qty of Sample** : 500gm  
**Date of Analysis** : June 2025

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	White fine crystalline powder
2.	Assay (on dry basis)	99.58% NH <sub>2</sub> .CO.NH <sub>2</sub>	Min.99.5%
3.	Melting Point	131.8 – 132.1°C	131 – 134°C
4.	Water insoluble matter	0.002%	Max.0.003%
5.	Acidity	Passes	Max.0.05 ml N%
6.	Alkalinity	Passes	Max.0.05 ml N%
7.	Sulphated ash	0.0015%	Max.0.005%
8.	Chloride	0.0002%	Max.0.0005%
9.	Sulphate	0.0002%	Max.0.001%
10.	Copper	0.0001%	Max.0.0001%
11.	Iron	0.00006%	Max.0.0001%
12.	Lead	0.0002%	Max.0.0002%
13.	Biuret	0.031%	Max.0.05%

**Chief Chemist**