



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Cyclohexanone AR
Batch No. : 228754
Date of Mfg. : Aug 2025
Date of Exp : July 2030
Register No. : 2025-26
Qty of Sample : 500ml
Date of Analysis : Aug 2025

S. No	Test Parameters	Observed Values	Standard Values
1.	Appearance	Passes	Clear colorless to light yellow liquid
2.	Assay	99.79%	Min 99.5 %
3.	Wt. per ml at 20°C	0.945g	0.945 - 0.947 g
4.	Water	<0.2 %	Max. 0.2%
5.	Nonvolatile matter	<0.02 %	Max. 0.02 %
6.	Acidity	<0.02 %	Max. 0.02 %
7.	Cyclohexanol	<0.2 %	Max. 0.2 %

Chief Chemist