



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Benzyl alcohol
Batch No. : 228770
Date of Mfg. : Aug 2025
Date of Exp : July 2030
Register No. : 2025-26
Qty of Sample : 500ml
Date of Analysis : Aug 2025

S.No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	A clear colorless liquid
2.	Assay	99.23%	Min.99%
3.	Wt. per ml at 20°C	1.0452g	1.043 - 1.048 g
4.	Refractive index	1.5372	1.536 - 1.542
5.	Acidity	<0.06%	Max.0.06%
6.	Non-volatile matter	<0.05%	Max.0.05%
7.	Benzaldehyde	<0.2%	Max.0.2%
8.	Chlorine compounds	<0.1%	Max.0.1%

Chief Chemist