



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : **Ammonium Acetate AR**
Batch No. : **228815**
Date of Mfg. : **Sep 2025**
Date of Expiry : **Aug 2030**
Register No. : **2025-26**
Qty of Sample : **500gm**
Date of Analysis : **Sep 2025**

. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	Colorless or White Hygroscopic crystals with a faint odour.
2.	Assay	98.02% CH ₃ .COONH ₄	Min.98.0%
3.	Water insoluble matter	0.0008%	Max.0.001%
4.	Chloride	0.0005%	Max.0.0005%
5.	Phosphate	0.0005%	Max.0.0005%
6.	Sulphate	0.0013%	Max.0.002%
7.	Calcium	0.0005%	Max.0.0005%
8.	Copper	0.0001%	Max.0.0001%
9.	Iron	0.0001%	Max.0.0001%
10.	Lead	0.0001%	Max.0.0001%
11.	Magnesium	0.0001%	Max.0.0001%
12.	Potassium	0.0004%	Max.0.001%
13.	Sodium	0.0006%	Max.0.001%

Chief Chemist