



Serving Scientific Community  
Since 1985



**TECHNO PHARMCHEM**

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)  
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)  
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)  
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com  
Website : www.technopharmchem.com

### CERTIFICATE OF ANALYSIS

**Name of the Sample** : Methyl Red pH Indicator  
**Batch No.** : 228828  
**Date of Mfg.** : Sep 2025  
**Date of Exp** : Aug 2030  
**Register No.** : 2025-26  
**Qty of Sample** : 100 gm  
**Date of Analysis** : Sep 2025

. No	Test Parameters	Observed Values	Standard Values
1.	Appearance	Passes	Dark red to maroon to purple crystalline powder
2.	Transition range	Passes	pH 4.2 - 6.2 Red - Yellow
3.	Solubility 0.1% (EtOH)	Passes	Red solution
4.	Absorptivity 1%, 1cm (pH 6.2) at $\lambda$ max.432.2 nm (pH 4.2) at $\lambda$ max.524.4 nm	771 1352	700 – 800 1300-1400
5.	Loss on drying at 110°C (1 hr.)	2.29%	< 3%

**Chief Chemist**