



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : 4 - Amino Benzoic Acid
Batch No. : 228914
Date of Mfg. : Sep 2025
Date of Exp : Aug 2030
Register No. : 2025-26
Qty of Sample : 250gm
Date of Analysis : Sep 2025

S.No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	White to off white Powder
2.	Assay (acidimetric)	99.14%	Min.99%
3.	Melting point	188 - 188.4°C	187 - 189°C
4.	Sulphated ash	0.064%	Max.0.1%
5.	Chloride	0.012%	Max.0.05%
6.	Sulphate	0.015%	Max.0.05%
7.	Iron	0.001%	Max.0.004%

Chief Chemist