



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : **Dimethyl Sulphoxide**
Batch No. : **228861**
Date of Mfg. : **Sep 2025**
Date of Exp : **Aug 2030**
Register No. : **2025-26**
Qty of Sample : **500ml**
Date of Analysis : **Sep 2025**

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	A clear, colorless hygroscopic liquid
2.	Assay (GC)	99.86%	Min.99%
3.	Wt. per ml at 20°C	1.101 g	1.099-1.101 g
4.	Freezing point	Passes	18 - 19°C
5.	Water	< 0.2%	Max.0.2%

Chief Chemist