


LABORATORY GLASSWARE

SOCKETS SINGLE

Product Code	Socket Size	Approx. O.D. of tube mm	Minimum Shank Length mm
G01 - 01	7/16	10	100
G01 - 02	10/19	13	100
G01 - 03	12/21	16	100
G01 - 04	14/23	18	100
G01 - 05	19/26	22	100
G01 - 06	24/29	28	100
G01 - 07	29/32	32	100
G01 - 08	34/35	38	100
G01 - 09	40/38	45	100
G01 - 10	45/40	50	100
G01 - 11	50/42	55	100
G01 - 12	55/44	60	100



CONES SINGLE


Product Code	Cone Size	Approx. O.D. of tube mm	Minimum Shank Length mm
G02 - 01	7/16	6	90
G02 - 02	10/19	8	90
G02 - 03	12/21	9	90
G02 - 04	14/23	13	90
G02 - 05	19/26	16	90
G02 - 06	24/29	22	90
G02 - 07	29/32	26	90
G02 - 08	34/35	30	90
G02 - 09	40/38	36	90
G02 - 10	45/40	40	90
G02 - 11	50/42	45	90
G02 - 12	55/44	50	90



CONES WITH TIP SINGLE


Product Code	Cone Size	Approx. O.D. of tube mm	Minimum Shank Length mm
G03 - 01	7/16	6	90
G03 - 02	10/19	8	90
G03 - 03	12/21	9	90
G03 - 04	14/23	13	90
G03 - 05	19/26	16	90
G03 - 06	24/29	22	90
G03 - 07	29/32	26	90
G03 - 08	34/35	30	90
G03 - 09	40/38	36	90
G03 - 10	45/40	40	90
G03 - 11	50/42	45	90
G03 - 12	55/44	50	90

SOCKETS FULL LENGTH SINGLE




Product Code	Socket Size	Approx. O.D. of Tube mm	Minimum Shank Length mm
G04 - 01	5/20	8	100
G04 - 02	7/25	10	100
G04 - 03	10/30	13	100
G04 - 04	12/32	16	100
G04 - 05	14/35	18	100
G04 - 06	19/38	22	100
G04 - 07	24/40	28	100
G04 - 08	29/42	32	100
G04 - 09	34/45	38	100
G04 - 10	45/50	50	100

CONES FULL LENGTH PLAIN END SINGLE




Product Code	Cone Size	Approx. O.D. of tube mm	Minimum Shank Length mm
G05 - 01	5/20	4	90
G05 - 02	7/25	6	90
G05 - 03	10/30	8	90
G05 - 04	12/32	10	90
G05 - 05	14/35	13	90
G05 - 06	19/38	16	90
G05 - 07	24/40	22	90
G05 - 08	29/42	26	90
G05 - 09	34/45	30	90
G05 - 10	45/50	40	90

SOCKETS DOUBLE



Product Code	Socket Size	Minimum Shank Length mm	Max. Outside diameter of Shank mm
G06 - 01	7/16	85	11
G06 - 02	10/19	85	14
G06 - 03	14/23	85	18
G06 - 04	19/26	85	22
G06 - 05	24/29	100	28
G06 - 06	29/32	100	32
G06 - 07	34/35	100	38

CONE PLAIN DOUBLE



Product Code	Cone Size	Minimum Shank Length mm	Max. Outside diameter of Shank mm
G07 - 01	7/16	50	8
G07 - 02	10/19	50	8
G07 - 03	14/23	80	13
G07 - 04	19/26	80	16
G07 - 05	24/29	95	22
G07 - 06	29/32	100	26
G07 - 07	34/35	150	30


STOPPER HOLLOW WITH FLAT BOTTOM

Product Code	N/S	Shape
G10 - 01	10/19	Hexagonal
G10 - 02	12/21	Hexagonal
G10 - 03	14/23	Hexagonal
G10 - 04	19/26	Hexagonal
G10 - 05	24/29	Hexagonal
G10 - 06	29/32	Hexagonal
G10 - 07	34/35	Hexagonal



STOPPER POLYPROPYLENE

Product Code	Cone
G11 - 01	10/19
G11 - 02	12/21
G11 - 03	14/23
G11 - 04	19/26
G11 - 05	24/29
G11 - 06	29/32
G11 - 07	34/35




STOPPER SOLID PENNY OR FLAT HEAD

Product Code	Cone
G12 - 01	10/19
G12 - 02	12/21
G12 - 03	14/23
G12 - 04	19/26
G12 - 05	24/29
G12 - 06	29/32
G12 - 07	34/35




REDUCTION ADAPTERS

Product Code	Socket Size	Cone Size
G13 - 01	10/19	14/23
G13 - 02	14/23	14/23
G13 - 03	14/23	19/26
G13 - 04	14/23	24/29
G13 - 05	14/23	29/32
G13 - 06	19/26	24/29
G13 - 07	19/26	29/32
G13 - 08	19/26	34/35
G13 - 09	19/26	40/38
G13 - 10	19/26	45/40
G13 - 11	19/26	55/44
G13 - 12	24/29	29/32
G13 - 13	24/29	34/35
G13 - 14	24/29	40/38
G13 - 15	24/29	45/40
G13 - 16	24/29	50/42
G13 - 17	24/29	55/44
G13 - 18	29/32	34/35
G13 - 19	29/32	40/38
G13 - 20	29/32	45/40
G13 - 21	34/35	40/38
G13 - 22	34/35	45/40
G13 - 23	34/35	50/42




EXPANSION ADAPTERS




Product Code	Socket Size	Cone Size
G14 - 01	19/26	14/23
G14 - 02	24/29	14/23
G14 - 03	24/29	19/26
G14 - 04	29/32	14/23
G14 - 05	29/32	19/26
G14 - 06	29/32	24/29
G14 - 07	34/35	19/26
G14 - 08	34/35	24/29
G14 - 09	34/35	29/32
G14 - 10	40/38	24/29
G14 - 11	45/40	29/32

MULTIPLE ADAPTERS, WITH TWO NECKS PARALLEL



Product Code	Socket Size	Cone Size
G15 - 01	14/23	14/23
G15 - 02	14/23	19/26
G15 - 03	19/26	19/26
G15 - 04	19/26	24/29
G15 - 05	24/29	24/29
G15 - 06	19/26	34/35
G15 - 07	29/32	29/32

MULTIPLE ADAPTERS, WITH TWO NECKS ONE VERTICAL AND ONE AT 45°




Product Code	Socket Size	Cone Size
G16 - 01	14/23	14/23
G16 - 02	14/23	19/26
G16 - 03	14/23	24/29
G16 - 04	19/26	19/26
G16 - 05	19/26	24/29
G16 - 06	14/23	29/32
G16 - 07	29/32	29/32

MULTIPLE ADAPTERS, WITH THREE NECKS, TWO PARALLEL AND ONE AT 45°



Product Code	Socket Size	Cone Size
G17 - 01	19/26	19/26
G17 - 02	19/26	24/26
G17 - 03	19/26	29/32
G17 - 04	24/29	24/29
G17 - 05	29/32	29/32

SWAN NECK ADAPTERS



Product Code	Socket Size	Cone Size
G18 - 01	14/23	19/26
G18 - 02	19/26	19/26
G18 - 03	19/26	24/29
G18 - 04	24/29	24/29
G18 - 05	29/32	29/32

RECEIVER DELIVERY ADAPTERS SHORT STEM

Product Code	Socket Size	Approx. Length mm
G19 - 01	14/23	65
G19 - 02	19/26	65
G19 - 03	24/29	65
G19 - 04	29/32	65

RECEIVER DELIVERY ADAPTERS LONG STEM

Product Code	Socket Size	Approx. Length mm
G19 - 05	14/23	190
G19 - 06	19/26	200
G19 - 07	24/29	200
G19 - 08	29/32	200

RECEIVER ADAPTERS STRAIGHT

Product Code	Socket Size
G20 - 01	14/23
G20 - 02	19/26
G20 - 03	24/29
G20 - 04	29/32

RECEIVER ADAPTERS BEND WITH VENT

Product Code	Socket Size	Cone Size
G21 - 01	14/23	14/23
G21 - 02	19/26	19/26
G21 - 03	19/26	24/29
G21 - 04	24/29	24/29
G21 - 05	29/32	29/32

RECEIVER ADAPTERS, STRAIGHT WITH VACUUM CONNECTION






Product Code	Socket Size	Cone Size
G22 - 01	14/23	14/23
G22 - 02	14/23	19/26
G22 - 03	19/26	19/26
G22 - 04	19/26	24/29
G22 - 05	24/29	24/29
G22 - 06	24/29	29/32
G22 - 07	29/32	29/32


RECEIVER ADAPTERS, BEND WITH VACUUM CONNECTION

Product Code	Socket Size	Cone Size
G23 - 01	14/23	14/23
G23 - 02	14/23	19/26
G23 - 03	19/26	19/26
G23 - 04	19/26	24/29
G23 - 05	24/29	24/29
G23 - 06	24/29	29/32
G23 - 07	29/32	29/32

RECEIVER ADAPTERS, WITH MULTIPLE CONNECTION

Product Code	Socket Size	Cone Size
G24 - 01	14/23	14/23
G24 - 02	14/23	19/26
G24 - 03	19/26	19/26





RECEIVER ADAPTERS, PLAIN BEND RECEIVER BEND

Product Code	Socket Size	Cone Size
G25 - 01	14/23	14/23
G25 - 02	14/23	19/26
G25 - 03	19/26	19/26
G25 - 04	19/26	24/29
G25 - 05	24/29	24/29
G25 - 06	29/32	29/32


RECOVERY BEND, SLOPING

Product Code	Cone Size to fit Flask	Cone size to fit Condenser
G27 - 01	14/23	14/23
G27 - 02	24/29	14/23
G27 - 03	19/26	19/26
G27 - 04	24/29	19/26
G27 - 05	29/32	19/26
G27 - 06	29/32	29/32
G27 - 07	24/29	24/29
G27 - 08	34/35	24/29
G27 - 09	29/32	24/29
G27 - 10	34/35	34/35



RECEIVER BEND, VERTICAL

Product Code	Cone Size to fit Flask	Cone size to fit Condenser
G28 - 01	14/23	14/23
G28 - 02	19/26	19/26
G28 - 03	24/29	19/26
G28 - 04	24/29	24/29
G28 - 05	29/32	29/32



STILL HEAD PLAIN WITH THERMOMETER SOCKET

Product Code	Socket Size	Cone size to fit Flask	Cone Size to fit Condenser
G29 - 01	14/23	14/23	14/23
G29 - 02	14/23	19/26	19/26
G29 - 03	14/23	24/29	19/26
G29 - 04	14/23	29/32	19/26
G29 - 05	14/23	34/35	19/26
G29 - 06	14/23	24/29	24/29
G29 - 07	14/23	34/35	24/29
G29 - 08	14/23	29/32	24/29
G29 - 09	14/23	29/32	29/32
G29 - 10	14/23	34/35	29/32

CLAISEN HEADS, SLOPING WITH 2 X B14 SOCKET

Product Code	Socket Size	Cone size to fit Flask	Cone Size to fit Condenser
G30 - 01	14/23	14/23	14/23
G30 - 02	14/23	19/26	19/26
G30 - 03	14/23	24/29	19/26
G30 - 04	14/23	24/29	24/29
G30 - 05	14/23	29/32	29/32
G30 - 06	14/23	34/35	24/29



SPLASH HEADS, ADAPTER VERTICAL

Product Code	Cone Size to fit Flask	Cone Size to fit Condenser
G31 - 01	14/23	14/23
G31 - 02	19/26	24/29
G31 - 03	29/32	29/32

SPLASH HEADS, PEAR SHAPE VERTICAL

Product Code	Cone Size to fit Flask	Cone Size to fit Condenser
G32 - 01	14/23	14/23
G32 - 02	19/26	19/26
G32 - 03	24/29	19/26
G32 - 04	24/29	24/29
G32 - 05	29/32	29/32

SPLASH HEADS, PEAR SHAPE SLOPING

Product Code	Cone Size to fit Flask	Cone Size to fit Condenser
G33 - 01	14/23	14/23
G33 - 02	19/26	19/26
G33 - 03	24/29	19/26
G33 - 04	24/29	24/29
G33 - 05	29/32	29/32

ADAPTER CONE TO RUBBER TUBING, RIGHT ANGLE CONNECTION, WITH GLASS STOPCOCK

Product Code	Cone
G35 - 01	14/23
G35 - 02	19/26
G35 - 03	24/29
G35 - 04	29/32

ADAPTER SOCKET TO RUBBER TUBING, STRAIGHT WITH PTFE KEY STOPCOCK





Product Code	Socket
G36 - 01	14/23
G36 - 02	19/26
G36 - 03	24/29
G36 - 04	29/32

ADAPTERS CONE TO RUBBER TUBING, RIGHT ANGLE CONNECTION

Product Code	Cone
G37 - 01	14/23
G37 - 02	19/26
G37 - 03	24/29
G37 - 04	29/32

ADAPTER CONE WITH STEM TO RUBBER TUBING, RIGHT ANGLE CONNECTION

Product Code	Cone
G38 - 01	14/23
G38 - 02	19/26
G38 - 03	24/29
G38 - 04	29/32




ADAPTER SOCKET TO RUBBER TUBING, STRAIGHT CONNECTION




Product Code	Socket
G39 - 01	14/23
G39 - 02	19/26
G39 - 03	24/29
G39 - 04	29/32

ADAPTER SOCKET TO CONE WITH TEE CONNECTION




Product Code	Socket Size	Cone
G40 - 01	14/23	14/23
G40 - 02	14/23	19/26
G40 - 03	14/23	24/29
G40 - 04	14/23	29/32
G40 - 05	19/26	19/26
G40 - 06	19/26	24/29
G40 - 07	19/26	29/32
G40 - 08	24/29	24/29
G40 - 09	24/29	29/32
G40 - 10	29/32	29/32



U TUBE, WITH TWO SOCKETS WITH STOPPER


Product Code	Socket
G41 - 01	14/23
G41 - 02	19/26

DRYING TUBE



Product Code	Cone
G42 - 01	14/23
G42 - 02	19/26
G42 - 03	24/29
G42 - 04	29/32

THERMOMETER POCKET




Product Code	Cone	Approx Stem Length
G43 - 01	14/23	45 mm
G43 - 02	19/26	45 mm
G43 - 03	24/29	45 mm

AIR LEAK TUBE/GAS INLET TUBE

Product Code	Cone
G44 - 01	14/23
G44 - 02	19/26
G44 - 03	24/29
G44 - 04	29/32


FLASK ROUND BOTTOM, SINGLE NECK MEDIUM

Product Code	Capacity ml	Socket Size
G58 - 01	5	14/23
G58 - 02	10	14/23
G58 - 03	25	14/23
G58 - 04	25	19/26
G58 - 05	25	24/29
G58 - 06	50	14/23
G58 - 07	50	19/26
G58 - 08	50	24/29
G58 - 09	50	29/32
G58 - 10	100	14/23
G58 - 11	100	19/26
G58 - 12	100	24/29
G58 - 13	100	29/32
G58 - 14	150	19/26
G58 - 15	150	24/29
G58 - 16	150	29/32
G58 - 17	250	14/23
G58 - 18	250	19/26
G58 - 19	250	24/29
G58 - 20	250	29/32
G58 - 21	250	34/35
G58 - 22	500	19/26
G58 - 23	500	24/29
G58 - 24	500	29/32
G58 - 25	500	34/35
G58 - 26	1000	19/26
G58 - 27	1000	24/29
G58 - 28	1000	29/32
G58 - 29	1000	34/35
G58 - 30	2000	24/29
G58 - 31	2000	29/32
G58 - 32	2000	34/35
G58 - 33	5000	34/35
G58 - 34	5000	40/38
G58 - 35	10000	34/35
G58 - 36	10000	45/40
G58 - 37	20000	55/44



FLASKS FLAT BOTTOM SINGLE NECK MEDIUM


Product Code	Capacity ml	Socket Size
G59 - 01	50	19/26
G59 - 02	50	24/29
G59 - 03	50	29/32
G59 - 04	100	19/26
G59 - 05	100	24/29
G59 - 06	100	29/32
G59 - 07	150	19/26
G59 - 08	150	24/29
G59 - 09	150	29/32
G59 - 10	250	19/26
G59 - 11	250	24/29
G59 - 12	250	29/32



G59 - 13	250	34/35
G59 - 14	500	19/26
G59 - 15	500	24/29
G59 - 16	500	29/32
G59 - 17	500	34/35
G59 - 18	1000	24/29
G59 - 19	1000	29/32
G59 - 20	1000	34/35
G59 - 21	2000	24/29
G59 - 22	2000	29/32
G59 - 23	2000	34/35


FLASK ROUND BOTTOM TWO NECK PARALLEL/ANGLE

Product Code	Capacity ml	Socket Size	Side Socket Size
G60-01	50	24/29	14/23
G60-02	50	29/32	14/23
G60-03	100	24/29	14/23
G60-04	100	24/29	19/26
G60-05	100	29/32	14/23
G60-06	250	24/29	14/23
G60-07	250	24/29	19/26
G60-08	250	29/32	14/23
G60-09	500	24/29	14/23
G60-10	500	24/29	19/26
G60-11	500	29/32	14/23
G60-12	1000	24/29	14/23
G60-13	1000	24/29	19/26
G60-14	1000	29/32	14/23
G60-15	2000	34/35	19/26



FLASKS ROUND BOTTOM, THREE NECK PARALLEL/ANGLE

Product Code	Capacity ml	Centre Socket	Side Sockets
G62-01	250	24/29	19/26
G62-02	250	29/32	14/23
G62-03	250	29/32	29/32
G62-04	500	24/29	19/26
G62-05	500	29/32	14/23
G62-06	500	29/32	19/26
G62-07	500	29/32	29/32
G62-08	1000	24/29	19/26
G62-09	1000	29/32	14/23
G62-10	1000	29/32	19/26
G62-11	1000	29/32	24/29
G62-12	1000	29/32	29/32
G62-13	2000	24/29	19/26
G62-14	2000	29/32	19/26
G62-15	2000	29/32	29/32
G62-16	2000	34/35	19/26
G62-17	2000	34/35	24/29



FLASKS PEAR SHAPE, SINGLE NECK

Product Code	Capacity ml	Socket
G63-01	25	14/23
G63-02	50	14/23
G63-03	100	14/23



FLASKS, PEAR SHAPE, TWO NECK

Product Code	Capacity ml	Centre Socket	Side Socket
G64-01	50	14/23	14/23
G64-02	100	14/23	14/23




FLASKS, EVAPORATING, (BUCHI FLASK)

Product Code	Capacity ml	Socket
G69-01	50	29/32
G69-02	100	24/29
G69-03	100	29/32
G69-04	250	24/29
G69-05	250	29/32
G69-06	500	24/29
G69-07	500	29/32
G69-08	1000	24/29
G69-09	1000	29/32
G69-10	2000	29/32


FLASKS, KJELDAHL JOINTED

Product Code	Capacity ml	Socket
G70-01	50	19/26
G70-02	100	19/26
G70-03	100	24/29
G70-04	300	24/29
G70-05	500	24/29
G70-06	800	24/29



FLASKS, CONICAL, (ERLENMEYER) JOINTED

Product Code	Capacity ml	Socket
G71-01	25	14/23
G71-02	25	19/26
G71-03	50	14/23
G71-04	50	19/26
G71-05	50	24/29
G71-06	50	29/32
G71-07	100	14/23
G71-08	100	19/26
G71-09	100	24/29
G71-10	100	29/32
G71-11	150	19/26
G71-12	150	24/29
G71-13	150	29/32
G71-14	200	29/32
G71-15	250	19/26
G71-16	250	24/29



G71-17	250	29/32
G71-18	250	34/35
G71-19	300	29/32
G71-20	500	19/26
G71-21	500	24/29
G71-22	500	29/32
G71-23	500	34/35
G71-24	1000	24/29
G71-25	1000	29/32
G71-26	1000	34/35
G71-27	2000	29/32
G71-28	2000	34/35

FLASKS, IODINE WITH STOPPER

Product Code	Capacity ml	Joint Size	Min. Cup Capacity ml.
G72-01	250	24/29	20
G72-02	250	29/32	20
G72-03	500	24/29	20
G72-04	500	29/32	20
G72-05	1000	29/32	20

FLASKS, DISTILLATION WITH SIDE TUBE

Product Code	Capacity ml	Dia mm
G73-01	100	65
G73-02	250	85
G73-03	500	105
G73-04	1000	130
G73-05	2000	170

FLASKS, BUCKNER FILTRATION BOLT NECK




Product Code	Nominal Capacity ml
G74-01	100
G74-02	250
G74-03	500
G74-04	1000
G74-05	2000
G74-06	5000

FLASKS, CONICAL WITH TEFLON LINER SCREW CAP

Product Code	Capacity
G75-01	50
G75-02	100
G75-03	150
G75-04	250
G75-05	500
G75-06	1000


RETORT STOPPERED FLASK

Product Code	Capacity ml
G78-01	100
G78-02	250
G78-03	500




ERLENMEYER FLASKS, NARROW NECK WITH GRADUATION

Product Code	Capacity ml
G256-01	25
G256-02	50
G256-03	100
G256-04	150
G256-05	250
G256-06	500
G256-07	1000
G256-08	2000
G256-09	5000



ERLENMEYER FLASKS, WIDE NECK WITH GRADUATION

Product Code	Capacity ml
G257-01	25
G257-02	50
G257-03	100
G257-04	150
G257-05	250
G257-06	300
G257-07	500
G257-08	1000
G257-09	2000




FLASKS ROUND BOTTOM NARROW NECK, WITH BEADED RIM

Product Code	Capacity ml
G258-01	50
G258-02	100
G258-03	250
G258-04	500
G258-05	1000
G258-06	2000
G258-07	3000
G258-08	5000
G258-09	10000
G258-10	20000



FLASK ROUND BOTTOM WIDE NECK, WITH BEADED RIM

Product Code	Capacity ml
G259-01	50
G259-02	100
G259-03	250
G259-04	500
G259-05	1000
G259-06	2000




FLASK FLAT BOTTOM NARROW NECK, WITH BEADED RIM



Product Code	Capacity ml
G260-01	50
G260-02	100
G260-03	250
G260-04	500
G260-05	1000
G260-06	2000
G260-07	3000
G260-08	5000
G260-09	10000
G260-10	20000

FLASK FLAT BOTTOM, WIDE NECK, WITH BEADED RIM



Product Code	Capacity ml
G261-01	50
G261-02	100
G261-03	250
G261-04	500
G261-05	1000
G261-06	2000

VOLUMETRIC FLASK WITH ONE GRADUATION MARK & STOPPER MADE OF POLYETHYLENE ACCURACY AS PER CLASS B



Product Code	Capacity ml	N/S
G140-01	5	10/19
G140-02	10	10/19
G140-03	20	10/19
G140-04	25	10/19
G140-05	50	12/21
G140-06	100	14/23
G140-07	200	14/23
G140-08	250	14/23
G140-09	500	19/26
G140-10	1000	19/26
G140-11	2000	29/32
G140-12	5000	34/35


VOLUMETRIC FLASK AMBER WITH ONE GRADUATION MARK & STOPPER MADE OF POLYETHYLENE ACCURACY AS PER CLASS B



Product Code	Capacity ml	N/S
G142-01	5	10/19
G142-02	10	10/19
G142-03	20	10/19
G142-04	25	10/19
G142-05	50	12/21
G142-06	100	14/23
G142-07	200	14/23
G142-08	250	14/23
G142-09	500	19/26
G142-10	1000	19/26
G142-11	2000	29/32


VOLUMETRIC FLASK WITH RIM WITHOUT STOPPER ACCURACY AS PER CLASS B

Product Code	Capacity ml
G144-01	5
G144-02	10
G144-03	20
G144-04	25
G144-05	50
G144-06	100
G144-07	200
G144-08	250
G144-09	500
G144-10	1000
G144-11	2000
G144-12	5000




BEAKER, LOW FORM WITH GRADUATION AND SPOUT

Product Code	Capacity ml	D (mm) approx.	H (mm) approx.
G251-01	5	22	30
G251-02	10	26	35
G251-03	25	34	50
G251-04	50	42	60
G251-05	100	50	70
G251-06	150	60	80
G251-07	250	70	95
G251-08	400	80	110
G251-09	500	100	135
G251-10	600	90	125
G251-11	800	100	135
G251-12	1000	105	145
G251-13	2000	130	185
G251-14	3000	150	210
G251-15	5000	170	270




BEAKER, TALL FORM WITH GRADUATION AND SPOUT

Product Code	Capacity ml	D (mm) approx.	H (mm) approx.
G252-01	25	38	70
G252-02	50	38	70
G252-03	100	48	80
G252-04	150	54	95
G252-05	250	60	120
G252-06	400	70	130
G252-07	500	75	137
G252-08	600	80	150




BEAKER CONICAL FORM (PHILLIPS PATTERN) WITH SPOUT WITH GRADUATION

Product Code	Capacity ml	Base Dia (mm)	Top Dia (mm)	H (mm)
G253-01	250	68	52	105
G253-02	500	86	59	142



TUBES CULTURE ROUND BOTTOM WITH SCREW CAP & TEFLON LINER

Product Code	Capacity ml	O.Dx Length (mm)
G82-01	5	15 x 75
G82-02	10	15 x 125
G82-03	15	15 x 150
G82-04	25	18 x 150
G82-05	30	25 x 100
G82-06	45	25 x 150
G82-07	60	25 x 200
G82-08	100	32 x 200



TUBES CULTURE FLAT BOTTOM WITH SCREW CAP & TEFLON LINER


Product Code	Capacity	O.Dx Length (mm)
G83-01	5	18 x 45
G83-02	10	25 x 57
G83-03	30	25 x 95
G83-04	40	25 x 145

CENTRIFUGE TUBE, CONICAL BOTTOM, GRADUATED

Product Code	Capacity ml	Height x O.D (mm)
G88-01	5	100 x 13
G88-02	10	110 x 15
G88-03	15	120 x 17
G88-04	25	125 x 22
G88-05	50	125 x 28


CENTRIFUGE TUBE CONICAL BOTTOM, PLAIN

Product Code	Capacity ml	Height x O.D (mm)
G89-01	5	100 x 13
G89-02	10	110 x 15
G89-03	15	120 x 17
G89-04	25	125 x 22
G89-05	50	125 x 28



CENTRIFUGE TUBE ROUND BOTTOM, GRADUATED

Product Code	Capacity ml	Height x O.D (mm)
G94-01	12	16 x 110
G94-02	30	24 x 110
G94-03	40	28 x 110
G94-04	50	30 x 110
G94-05	100	45 x 110
G94-07	200	55 x 116



TEST TUBE, WITH JOINT & STOPPER, GRADUATED

Product Code	Size (mm)	Capacity (ml)	Stopper Size
G95-01	100 x 12	5	10/19
G95-02	125 x 16	10	12/21
G95-03	150 x 22	25	19/26
G95-04	200 x 25	50	19/26
G95-05	200 x 32	100	24/29

TEST TUBES, WITH INTERCHANGEABLE STOPPER, PLAIN

Product Code	Length x Dia (mm)	Height x O.D (mm)
G96-01	100 x 12	10/19
G96-02	125 x 15	12/21
G96-03	150 x 18	14/23
G96-04	150 x 25	19/26
G96-05	200 x 25	19/26
G96-06	200 x 32	24/29
G96-07	200 x 38	24/29

TEST TUBES, ROUND BOTTOM, WITH RIM/WITHOUT RIM PLAIN BORO 3.3

Product Code	Capacity ml	Size Approx. mm
G97-01	3	10 x 75
G97-02	5	12 x 75
G97-03	8	12 x 100
G97-04	10	15 x 125
G97-05	25	18 x 150
G97-06	50	25 x 150
G97-07	75	25 x 200

TEST TUBES, NEUTRAL HARD GLASS, ROUND BOTTOM WITH RIM


Product Code	Capacity ml	Size Approx. mm
G98 - 01	3	10 x 75
G98 - 02	8	12 x 100
G98 - 03	10	15 x 125
G98 - 04	12	15 x 150
G98 - 05	25	18 x 150
G98 - 06	50	25 x 150


TEST TUBES, NEUTRAL HARD GLASS, ROUND BOTTOM WITHOUT RIM

Product Code	Capacity ml	Size Approx. mm
G99 - 01	3	10 x 75
G99 - 02	8	12 x 100
G99 - 03	10	15 x 125
G99 - 04	12	15 x 150
G99 - 05	25	18 x 150
G99 - 06	50	25 x 150

ABSORPTION U-TUBE, PLAIN

Product Code	Size (mm)
G100 - 01	12 x 100
G100 - 02	15 x 125
G100 - 03	18 x 150
G100 - 04	20 x 150






BURETTE WITH STRAIGHT BORE GLASS KEY STOPCOCK, ACCURACY AS PER CLASS B

Product Code	Cap.ml	Sub Div (ml)
G112-01	10	0.05
G112-02	25	0.10
G112-03	50	0.10
G112-04	100	0.20

BURETTE WITH PINCH COCK RUBBER TUBING AND GLASS JET ACCURACY AS PER CLASS B

Product Code	Cap.ml	Sub Div ml
G114-01	10	0.05
G114-02	25	0.10
G114-03	50	0.10
G114-04	100	0.20



BURETTE WITH SCREW TYPE NEEDLE VALVE PTFE ROTAFLOW STOPCOCK ACCURACY AS PER CLASS B

Product Code	Cap.ml	Sub Div ml
G116-01	10	0.05
G116-02	25	0.10
G116-03	50	0.10
G116-04	100	0.20

BURETTE WITH STRAIGHT BORE PTFE KEY STOPCOCK ACCURACY AS PER CLASS B

Product Code	Cap.ml	Sub Div ml
G119-01	10	0.05
G119-02	25	0.10
G119-03	50	0.10
G119-04	100	0.20

BURETTE MODULAR, PTFE KEY STOPCOCK ACCURACY AS PER CLASS B


Product Code	Cap.ml	Sub Div ml
G124-01	10	0.05
G124-02	25	0.10
G124-03	50	0.10
G124-04	100	0.20

PIPETTE VOLUMETRIC, WITH ONE MARK, ACCURACY AS PER CLASS B

Product Code	Cap.ml	Colour Code
G132-01	1	Blue
G132-02	2	Orange
G132-03	5	White
G132-04	10	Red
G132-05	20	Yellow
G132-06	25	Blue
G132-07	50	Red
G132-08	100	Yellow

GRADUATED PIPETTES, SEROLOGICAL CLASS B

Product Code	Cap. ml	Colour Code
G135-01	1	Yellow
G135-02	2	Black
G135-03	5	Red
G135-04	10	Orange
G135-05	25	White



MEASURING CYLINDERS, WITH PLASTIC BASES AND PROTECTION COLLAR CLASS B

Product Code	Capacity ml	Sub Div ml
G151-01	5	0.1
G151-02	10	0.2
G151-03	25	0.5
G151-04	50	1.0
G151-05	100	1.0
G151-06	250	2.0

MEASURING CYLINDERS, WITH SPOUT & ROUND BASE CLASS B

Product Code	Capacity ml	Sub Div ml
G154-01	5	0.1
G154-02	10	0.2
G154-03	25	0.5
G154-04	50	1.0
G154-05	100	1.0
G154-06	250	2.0
G154-07	500	5.0
G154-08	1000	10.0
G154-09	2000	20.0

MEASURING CYLINDERS, WITH SPOUT & HEXAGONAL BASE CLASS B




Product Code	Capacity ml	Sub Div ml
G155-01	10	0.2
G155-02	25	0.5
G155-03	50	1.0
G155-04	100	1.0
G155-05	250	2.0
G155-06	500	5.0
G155-07	1000	10.0
G155-08	2000	20.0


MEASURING CYLINDERS, ROUND BASE WITH INTERCHANGEABLE POLYTHELENE STOPPER, CLASS B

Product Code	Capacity ml	Sub Div ml
G159-01	10	0.2
G159-02	25	0.5
G159-03	50	1.0
G159-04	100	1.0
G159-05	250	2.0
G159-06	500	5.0
G159-07	1000	10.0
G159-08	2000	20.0

MEASURING CYLINDERS, HEXAGONAL BASE WITH POLYTHELENE STOPPER, CLASS B

Product Code	Capacity ml	Sub Div ml
G161-01	10	0.2
G161-02	25	0.5
G161-03	50	1.0
G161-04	100	1.0
G161-05	250	2.0
G161-06	500	5.0
G161-07	1000	10.0
G161-08	2000	20.0





NESSLER CYLINDER, FOR COLOUR COMPARISON GRADUATED

Product Code	Capacity ml	Sub Div ml
163-01	50	25 & 50
163-02	100	50 & 100




SEPARATING FUNNELS WITH GLASS STOPCOCK & POLYETHYLENE STOPPER, SQUIBB SHAPE

Product Code	Capacity ml	N/S
G181-01	50	19/26
G181-02	100	19/26
G181-03	250	19/26
G181-04	500	24/29
G181-05	1000	29/32
G181-06	2000	29/32

SEPARATING FUNNELS, GRADUATED WITH GLASS STOPCOCK, & POLYETHYLENE STOPPER, SQUIBB SHAPE

Product Code	Capacity ml	N/S
G182-01	50	19/26
G182-02	100	19/26
G182-03	250	19/26
G182-04	500	24/29
G182-05	1000	29/32
G182-06	2000	29/32



SEPARATING FUNNELS WITH PTFE NEEDLE VALVE (ROTAFLOW) & POLYETHYLENE STOPPER, SQUIBB SHAPE


Product Code	Capacity ml	N/S
G183-01	50	19/26
G183-02	100	19/26
G183-03	250	19/26
G183-04	500	24/29
G183-05	1000	29/32
G183-06	2000	29/32
G183-07	5000	34/35

SEPARATING FUNNELS, GRADUATED WITH PTFE NEEDLE VALVE (ROTAFLOW) & POLYETHYLENE STOPPER, SQUIBB SHAPE

Product Code	Capacity ml	N/S
G184-01	50	19/26
G184-02	100	19/26
G184-03	250	19/26
G184-04	500	24/29
G184-05	1000	29/32
G184-06	2000	29/32


SEPARATING FUNNELS WITH PTFE KEY, STOPCOCK & POLYETHYLENE STOPPER, SQUIBB SHAPE

Product Code	Capacity ml	N/S
G185-01	50	19/26
G185-02	100	19/26
G185-03	250	19/26
G185-04	500	24/29
G185-05	1000	29/32
G185-06	2000	29/32



SEPARATING FUNNELS, GRADUATED WITH PTFE KEY, STOPCOCK & POLYETHYLENE STOPPER, SQUIBB SHAPE

Product Code	Capacity ml	N/S
G186-01	50	19/26
G186-02	100	19/26
G186-03	250	19/26
G186-04	500	24/29
G186-05	1000	29/32
G186-06	2000	29/32



SEPARATING FUNNELS, WITH GLASS STOPCOCK & POLYETHYLENE STOPPER, PEAR SHAPE

Product Code	Capacity ml	N/S
G187-01	50	19/26
G187-02	100	19/26
G187-03	250	19/26
G187-04	500	24/29
G187-05	1000	29/32
G187-06	2000	29/32


SEPARATING FUNNELS WITH PTFE NEEDLE VALVE STOPCOCK & POLYETHYLENE STOPPER, PEAR SHAPE

Product Code	Capacity ml	N/S
G188-01	50	19/26
G188-02	100	19/26
G188-03	250	19/26
G188-04	500	24/29
G188-05	1000	29/32
G188-06	2000	29/32



SEPARATING FUNNELS WITH PTFE KEY, STOPCOCK & POLYETHYLENE STOPPER, PEAR SHAPE

Product Code	Capacity ml	N/S
G189-01	50	19/26
G189-02	100	19/26
G189-03	250	19/26
G189-04	500	24/29
G189-05	1000	29/32
G189-06	2000	29/32



DROPPING FUNNELS, CYLINDRICAL WITH POLYETHYLENE STOPPER & GLASS STOPCOCK

Product Code	Capacity ml	N/S
G201-01	25	14/23
G201-02	50	19/26
G201-03	100	19/26
G201-04	250	19/26
G201-05	500	24/29
G201-06	1000	24/29

DROPPING FUNNELS, CYLINDRICAL GRADUATED WITH POLYETHYLENE STOPPER & GLASS STOPCOCK


Product Code	Capacity ml	N/S
G202-01	50	19/26
G202-02	100	19/26
G202-03	250	19/26
G202-04	500	24/29
G202-05	1000	24/29

DROPPING FUNNELS, CYLINDRICAL WITH POLYETHYLENE STOPPER & PTFE NEEDLE VALVE STOPCOCK

Product Code	Capacity ml	N/S
G203-01	25	14/23
G203-02	50	19/26
G203-03	100	19/26
G203-04	250	19/26
G203-05	500	24/29
G203-06	1000	24/29

DROPPING FUNNELS, CYLINDRICAL GRADUATED WITH POLYETHYLENE STOPPER & PTFE NEEDLE VALVE STOPCOCK

Product Code	Capacity ml	N/S
G204-01	25	14/23
G204-02	50	19/26
G204-03	100	19/26
G204-04	250	19/26
G204-05	500	24/29
G204-06	1000	24/29



DROPPING FUNNELS CYLINDRICAL WITH PTFE KEY & POLYETHYLENE STOPPER

Product Code	Capacity ml	N/S
G205-01	25	14/23
G205-02	50	19/26
G205-03	100	19/26
G205-04	250	19/26
G205-05	500	24/29
G205-06	1000	24/29

DROPPING FUNNELS CYLINDRICAL GRADUATED WITH PTFE KEY & POLYETHYLENE STOPPER

Product Code	Capacity ml	N/S
G206-01	25	14/23
G206-02	50	19/26
G206-03	100	19/26
G206-04	250	19/26
G206-05	500	24/29
G206-06	1000	24/29

SEPARATING FUNNELS, PEAR SHAPE WITH SOCKET & GLASS STOPCOCK, WITH CONE & WITH STOPPER

Product Code	Capacity ml	Socket	Cone
G209-01	50	14/23	14/23
G209-02	50	19/26	19/26
G209-03	100	14/23	14/23
G209-04	100	19/26	19/26
G209-05	250	14/23	14/23
G209-06	250	19/26	19/26
G209-07	500	19/26	19/26
G209-08	500	24/29	24/29
G209-09	1000	24/29	24/29
G209-10	1000	29/32	29/32
G209-11	2000	29/32	29/32

SEPARATING FUNNELS, PEAR SHAPE WITH SOCKET & PTFE NEEDLE VALVE STOPCOCK, WITH CONE & WITH STOPPER



Product Code	Capacity ml	Socket	Cone
G210-01	50	14/23	14/23
G210-02	50	19/26	19/26
G210-03	100	14/23	14/23
G210-04	100	19/26	19/26
G210-05	250	14/23	14/23
G210-06	250	19/26	19/26
G210-07	500	19/26	19/26
G210-08	500	24/29	24/29
G210-09	1000	24/29	24/29
G210-10	1000	29/32	29/32
G210-11	2000	29/32	29/32

SEPARATING FUNNELS, PEAR SHAPE WITH SOCKET & PTFE KEY STOPCOCK WITH CONE & WITH STOPPER

Product Code	Capacity ml	Socket	Cone
G211-01	50	14/23	14/23
G211-02	50	19/26	19/26
G211-03	100	14/23	14/23
G211-04	100	19/26	19/26
G211-05	250	14/23	14/23
G211-06	250	19/26	19/26
G211-07	500	19/26	19/26
G211-08	500	24/29	24/29
G211-09	1000	24/29	24/29
G211-10	1000	29/32	29/32

DROPPING FUNNELS, CYLINDRICAL WITH SOCKET & PTFE NEEDLE VALVE STOPCOCK STEM WITH CONE & WITH STOPPER

Product Code	Capacity ml	Socket	Cone
G212-01	50	14/23	14/23
G212-02	100	14/23	14/23
G212-03	100	19/26	19/26
G212-04	250	19/26	19/26
G212-05	500	24/29	24/29
G212-06	1000	24/29	24/29




AIR CONDENSERS




Product Code	Socket	Cone	Effective Length (mm)
G226-01	14/23	14/23	200
G226-02	19/26	19/26	200
G226-03	24/29	24/29	250
G226-04	19/26	19/26	400
G226-05	24/29	24/29	500
G226-06	34/35	34/35	500
G226-07	19/26	19/26	600
G226-08	24/29	24/29	750
G226-09	-	19/26	750
G226-10	-	24/29	750
G226-11	-	19/26	1000
G226-12	-	24/29	1000

LIEBIG CONDENSERS



Product Code	Socket	Cone	Effective Length (mm)
G227-01	14/23	14/23	160
G227-02	19/26	19/26	160
G227-03	19/26	19/26	250
G227-04	24/29	24/29	250
G227-05	19/26	19/26	300
G227-06	24/29	24/29	300
G227-07	29/32	29/32	300
G227-08	24/29	24/29	400
G227-09	29/32	29/32	400

COIL CONDENSERS, GRAHAM, COILED DISTILLATE TYPE



Product Code	Socket	Cone	Effective Length (mm)
G228-01	14/23	14/23	160
G228-02	19/26	19/26	160
G228-03	24/29	24/29	160
G228-04	19/26	19/26	250
G228-05	24/29	24/29	250
G228-06	29/32	29/32	250
G228-07	24/29	24/29	300
G228-08	29/32	29/32	300
G228-09	29/32	29/32	400

COIL CONDENSER REVERSIBLE TYPE


Product Code	Cone	Length (mm)
G231-01	B-24 & B19	150
G231-02	B-34 & B19	150
G231-03	B-34 & B24	150

DOUBLE COIL CONDENSERS WITH COMMON IN LET

Product Code	Socket	Cone
G232-01	B-19	B-19
G232-02	B-24	B-24
G232-03	B-34	B-34
G232-04	B-34	B-34
G232-05	B-34	B-34


DOUBLE SURFACE CONDENSERS

Product Code	Socket	Cone	Effective Length (mm)
G233-01	B-10	B-10	100
G233-02	B-14	B-14	150
G233-03	B-19	B-19	150
G233-04	B-19	B-19	200
G233-05	B-24	B-24	200
G233-06	B-29	B-29	200
G233-07	B-29	B-19	200
G233-08	B-29	B-24	200
G233-09	B-29	B-29	200
G233-10	B-29	B-34	200
G233-11	B-19	B-19	250
G233-12	B-24	B-24	250
G233-13	B-29	B-29	250
G233-14	B-19	B-19	300
G233-15	B-24	B-24	300
G233-16	B-29	B-29	300
G233-17	B-19	B-19	400
G233-18	B-24	B-24	400
G233-19	B-29	B-29	400
G233-20	B-24	B-24	500
G233-21	B-34	B-34	500



ALLIHIN CONDENSERS (BULB CONDENSER)

Product Code	Socket	Cone	Effective Length (mm)
G234-01	14/23	14/23	160
G234-02	19/26	19/26	160
G234-03	14/23	14/23	250
G234-04	19/26	19/26	250
G234-05	24/29	24/29	250
G234-06	24/29	24/29	300
G234-07	29/32	29/32	300
G234-08	24/29	24/29	400
G234-09	29/32	29/32	400



ALLIHIN CONDENSER FOR SOXHLET

Product Code	Cone	Extractor ml
G235-01	45/40	100-250
G235-02	50/42	500
G253-03	55/44	1000

DIMROTH CONDENSER FOR SOXHLET

Product Code	Cone	Extractor ml
G236-01	45/40	100-250
G236-02	50/42	500
G236-03	55/44	1000

FRACTIONATING COLUMN, VIGREUX

Product Code	Socket Size	Cone Size	App Effective Length mm
G341-01	24/29	24/29	360
G341-02	24/29	24/29	600
G341-03	29/32	29/32	360

FRACTIONATING COLUMN, ROD & DISC PATTERN

Product Code	No. of Disc
G342-01	15
G342-02	20

FRACTIONATING COLUMN, DUFTON

Product Code	Socket Size	Cone Size	App Effective Length mm
G343-01	24/29	19/26	150
G343-02	24/29	19/26	300
G343-03	24/29	24/29	150
G343-04	24/29	24/29	300

CHROMATOGRAPHY COLUMN PLAIN WITH GLASS STOPCOCK




Product Code	Dia mm	App Effective Length mm
G344-01	10	200
G344-02	15	300
G344-03	20	500
G344-04	25	600
G344-05	40	600
G344-06	50	1000
G344-07	100	1800

CHROMATOGRAPHY COLUMN PLAIN WITH PTFE SCREW TYPE ROTAFLOW STOPCOCK

Product Code	Dia mm	App Effective Length mm
G345-01	10	200
G345-02	15	300
G345-03	20	500
G345-04	25	600
G345-05	40	600
G345-06	50	1000
G345-07	100	1800

CHROMATOGRAPHY COLUMN WITH SINTERED DISC AND GLASS STOPCOCK

Product Code	Dia mm	App Effective Length mm
G346-01	10	150
G346-02	15	200
G346-03	15	300
G346-04	20	400
G346-05	30	400
G346-06	30	500
G346-07	40	500
G346-08	40	600



CHROMATOGRAPHY COLUMN WITH SINTERED DISC AND SCREW TYPE PTFE ROTAFLOW STOPCOCK

Product Code	Dia mm	App Effective Length mm
G347-01	10	150
G347-02	15	200
G347-03	15	300
G347-04	20	400
G347-05	30	400
G347-06	30	500
G347-07	40	500
G347-08	40	600

CHROMATOGRAPHY COLUMN WITH SINTERED DISC AND PTFE KEY STOPCOCK

Product Code	Dia mm	App Effective Length mm
G348-01	10	150
G348-02	15	200
G348-03	15	300
G348-04	20	400
G348-05	30	400
G348-06	30	500
G348-07	40	500
G348-08	40	600

Weighing Bottles with Interchangeable Stopper-


Product Code	OD x H (mm)		Capacity (ml)
G311-01	40 x 30	Squat Form	20
G311-02	50 x 25	Squat Form	20
G311-03	50 x 35	Squat Form	35
G311-04	50 x 50	Squat Form	50
G311-05	60x 30	Squat Form	40
G311-06	20 x 40	Tall Form	5
G311-07	25 x 50	Tall Form	15
G311-08	30 x 60	Tall Form	25
G311-09	40 x 80	Tall Form	60

DENSITY BOTTLES, CALIBRATED (WITH CAPILLARY BORE INTERCHANGEABLE STOPPER)

Product Code	Capacity (ml)	Tolerance (\pm ml)
G312-01	10	1.0
G312-02	25	2.0
G312-03	50	3.0
G312-04	100	3.0

DENSITY BOTTLE, UNCALIBRATED

Product Code	Capacity (ml)
G313-01	10
G313-02	25
G313-03	50
G313-04	100






B.O.D BOTTLE WITH INTERCHANGEABLE STOPPER

Product Code	Capacity (ml)
G315-01	125
G315-02	300


REAGENT BOTTLE WITH SCREW CAP

Product Code	Capacity (ml)
G316-01	100
G316-02	250
G316-03	500
G316-04	1000
G316-05	2000




REAGENT BOTTLE, NARROW MOUTH BORO 3.3, WITH INTERCHANGEABLE STOPPER

Product Code	Capacity (ml)
G317-01	30
G317-02	60
G317-03	125
G317-04	250
G317-05	500
G317-06	1000
G317-07	2000
G317-08	5000



REAGENT BOTTLE, AMBER BORO 3.3 WITH INTERCHANGEABLE STOPPER

Product Code	Capacity (ml)
G318-01	30
G318-02	60
G318-03	125
G318-04	250
G318-05	500
G318-06	1000
G318-07	2000



WOLF BOTTLE THREE NECK B-14 IN INTERCHANGEABLE STOPPER

Product Code	Capacity (ml)
G319-01	250
G319-02	500
G319-03	1000



WOLF BOTTLE TWO NECK B-14 IN INTERCHANGEABLE STOPPER

Product Code	Capacity (ml)
G320-01	250
G320-02	500
G320-03	1000

DROPPING BOTTLES, BORO 3.3 FITTED WITH GROUND IN INTERCHANGEABLE STOPPER AND RUBBER TEAT

Product Code	Capacity (ml)
G321-01	30
G321-02	60
G321-03	120
G321-04	250

AMBER DROPPING BOTTLES, BORO 3.3 FITTED WITH GROUND IN INTERCHANGEABLE STOPPER AND RUBBER TEAT

Product Code	Capacity (ml)
G322-01	30
G322-02	60
G322-03	120
G322-04	250

DROPPING BOTTLES, NEUTRAL HARD GLASS WITH SCREW CAP AND RUBBER TEAT

Product Code	Capacity (ml)
G323-01	60
G323-02	120

DROPPING BOTTLES AMBER NEUTRAL HARD GLASS WITH SCREW CAP AND RUBBER TEAT

Product Code	Capacity (ml)
G324-01	60
G324-02	120

MAC-CARTNEY BOTTLES WITH ALUMINUM CAP



Product Code	Capacity (ml)
G325-01	15
G325-02	30
G325-03	60

FUNNEL FILTERING, 60° ANGLE WITH STEM

Product Code	Diameter (mm)
G262-01	25
G262-02	35
G262-03	38
G262-04	40
G262-05	50
G262-06	55
G262-07	65
G262-08	70
G262-09	75
G262-10	80
G262-11	100
G262-12	125
G262-13	150
G262-14	200

FUNNEL POWDER

Product Code	N/S Size	App. Funnel Diameter mm
G263-01	14/23	45
G263-02	14/23	75
G263-03	24/29	75
G263-04	24/29	80
G263-05	24/29	100
G263-06	24/29	120
G263-07	29/32	150
G263-08	29/32	200



DISHES, CRYSTALLIZING WITHOUT SPOUT

Product Code	O.D x Height (mm)
G265-01	40 x 25
G265-02	50 x 30
G265-03	60 x 35
G265-04	70 x 40
G265-05	80 x 45
G265-06	95 x 55
G265-07	150 x 75
G265-08	190 x 100



DISHES, CRYSTALLIZING WITH SPOUT

Product Code	O.D x Height (mm)
G266-01	40 x 25
G266-02	50 x 30
G266-03	60 x 35
G266-04	70 x 40
G266-05	80 x 45
G266-06	95 x 55
G266-07	150 x 75
G266-08	190 x 100



DISHES EVAPORATING FLAT BOTTOM WITH POUR OUT

Product Code	O.D x Height (mm)
G267-01	80 x 45
G267-02	105 x 55
G267-03	150 x 80
G267-04	200 x 100



PETRI DISH

Product Code	Size (mm)
G268-01	50
G268-02	80
G268-03	90
G268-04	100
G268-05	125
G268-06	150
G268-07	200



GAS JAR WITH GROUND GLASS FLAT FLANGE.

Product Code	Dia (mm)	Height (mm)
G270-01	50	150
G270-02	50	200
G270-03	75	200
G270-04	75	300



DESSICATOR WITH LID, PLAIN, DIE PRESSED, NEUTRAL GLASS WITH PORCELAIN PERFORATED PLATE

Product Code	I.D (mm)
G276-01	150
G276-02	210
G276-03	250
G276-04	300

DESSICATOR WITH LID, VACUUM, DIE PRESSED, NEUTRAL GLASS WITH PORCELAIN PERFORATED PLATE AND GLASS STOPCOCK

Product Code	I.D (mm)
G277-01	150
G277-02	210
G277-03	250
G277-04	300

DESSICATOR WITH LID, VACUUM, WITH STOPCOCK- BOROSILICATE 3.3 GLASS

Product Code	I.D (mm)
G278-01	100
G278-02	150
G278-03	200
G278-04	250
G278-05	300

CRUCIBLE, GOOCH TYPE WITH SINTERED DISC OF POROSITY G-1 / G-2 / G-3 / G-4

Product Code	Capacity (ml)	Porosity (Grade)	Disc Dia (mm)
G291-01	15	G-1 to G-4	20
G291-02	30	G-1 to G-4	30
G291-03	50	G-1 to G-4	40

BUCHNER FUNNEL, WITH SINTERED DISC OF POROSITY G-1 / G-2 / G-3 / G-4 PLAIN STEM

Product Code	Capacity (ml)	Porosity (Grade)	Disc Dia (mm)
G292-01	35	G-1 to G-4	30
G292-02	80	G-1 to G-4	40
G292-03	100	G-1 to G-4	50
G292-04	200	G-1 to G-4	65
G292-05	500	G-1 to G-4	90
G292-06	1000	G-1 to G-4	120

BUCHNER FUNNEL, WITH SINTERED DISC OF POROSITY G-1 / G-2 / G-3 / G-4 CONE AT STEM

Product Code	Capacity (ml)	Porosity (Grade)	Disc Dia (mm)	Cone Size
G293-01	35	G-1 to G-4	30	14/19
G293-02	80	G-1 to G-4	40	14/23
G293-03	100	G-1 to G-4	50	19/26
G293-04	200	G-1 to G-4	65	24/29
G293-05	500	G-1 to G-4	90	24/29
G293-06	1000	G-1 to G-4	120	29/32

